

IoT as an essential part of D2D (Direct-to-Device)




Connecting IoT Devices

To collect essential data from environments that shape our everyday live

Direct-to-device is not only just about connecting people, it's about empowering the digital infrastructure of the planet itself

Challenges in scaling IoT deployment globally



The Challenge

80% of the world has no terrestrial coverage

Existent satellite solutions for IoT


- 1. Proprietary
- 2. High investment
- 3. Limited scalability

Standardization is crucial

Massive IoT adoption requires **GLOBALLY AFFORDABLE** connectivity solutions, **t**his is only achievable through the implementation of a **STANDARD PROTOCOL**




Release 17 enables off-the-shelf devices to connect to both terrestrial towers and satellite



Note: OTS (Off-the-shelf), MNOs (Mobile Network Operators), Rel-17 (Release 17 of the 3GPP standard)

Sateliot: standard, seamless and scalable IoT

We are committed to enable global NB-IoT connectivity, working as wholesale satellite capacity provider to extend the MNOs footprint



IoT verticals












Most IoT applications don't require continuous



Enabling the deployment of IoT across the globe





Standardized Bands (S-Band and L-Band) - ensuring access to spectrum for IoT



Spectrum requirements - Just 1MHz UL and DL



To unlock innovation:

- Encourage efficient use of frequencies
- Prevent spectrum warehousing
- Consider reserving small blocks for IoT



It is essential to promote **inclusive frameworks** that recognize and distinguish **IoT satellite standard technologies** to ensure their effective integration.



A CONNECTED WORLD IS A BETTER WORLD

www.sateliot.space